

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3601	356/244-246.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/30 11:23
L2	29511	biosensor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/30 11:24
L3	111392	single near5 chip	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/30 11:24
L4	5	I1 and I2 and I3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/30 11:24
L5	7495	microwells	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/30 11:25
L6	6	I1 and I2 and I5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/30 11:26
L7	826	integrated near microcircuit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/30 11:27

L8	4	I2 and I7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/30 11:27
L9	724985	temperature near5 control\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/30 11:28
L10	114995	single near3 substrate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/30 11:28
L11	51	I7 and I10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/30 11:28
L12	15	I9 and I11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/30 11:28
L13	0	(biosensor same (single near3 (substrate or chip)) same microwells same processor)",clm."	US-PGPUB; USPAT	OR	ON	2009/03/30 11:30
L14	0	((single near3 (substrate or chip)) same microwells same processor)",clm."	US-PGPUB; USPAT	OR	ON	2009/03/30 11:30
L15	1	((single near3 (substrate or chip)) same microwells same processing)",clm."	US-PGPUB; USPAT	OR	ON	2009/03/30 11:31

L16	0	((single near3 (substrate or chip)) same microwells same (biological near3 sample)).clm.	US-PGPUB; USPAT	OR	ON	2009/03/30 11:36
L17	34	(biosensor and (single near3 (substrate or chip)) and microwells and processor)	US-PGPUB	OR	ON	2009/03/30 11:37

3/ 30/ 09 11:38:05 AM**C:\ Documents and Settings\ hpham2\ My Documents\ EAST\ Workspaces\ default.wsp**